

E

2026

à % à ~

W à

$$= \hat{A}$$
 $\hat{A}$

9 $\hat{A}$

9

$$\bar{w} \quad \chi \quad \kappa \quad \psi \quad \hat{A}$$
$$\Psi \quad \forall \quad \Psi$$

ầ

 $\hat{A}$

à

41'

☼ 9:15

15:00'

4 7

 $\hat{A}$ $\hat{A}$

3 A

 $\hat{A}$
$$H_u$$

$$\begin{aligned}
& \frac{\text{K} \Psi \text{T}}{\text{K}} = \text{M} \quad 1.1165\% \hat{A} \\
& \hat{e}^r \text{G} \hat{k} \quad , \quad \omega \quad \vdots \quad \forall \% \quad \hat{i} \quad \text{L} \quad , \quad \hat{i} \\
& = \quad , \quad ' \\
& \quad 245,582,583 \quad \sim \quad \forall \text{ } \text{ } \quad \text{K} \Psi \quad = \quad \text{M} \quad 98.2409\% \\
& \hat{i} \quad 3,704,100 \quad \sim \quad \forall \text{ } \text{ } \quad \text{K} \Psi \quad = \quad \text{M} \quad 1.4818\% \\
& 693,200 \quad \wedge \quad \hat{i} \quad \text{T} \sim \quad 0 \quad \sim \sim \quad \forall \text{ } \text{ } \quad \text{K} \Psi \quad = \\
& \text{M} \quad 0.2773\% \hat{A} \\
& \text{T} \quad \text{K} \quad = \quad , \quad ' \\
& \quad 57,028,664 \quad \sim \quad \forall \text{ } \text{ } \quad \text{K} \Psi \text{T} \quad \text{K} \quad = \quad \text{M} \\
& 92.8413\% \quad \hat{i} \quad 3,704,100 \quad \sim \quad \forall \text{ } \text{ } \quad \text{K} \Psi \text{T} \quad \text{K} \quad = \quad \text{M} \\
& \quad 6.0302\% \quad 693,200 \quad \wedge \quad \hat{i} \quad \text{T} \sim \quad 0 \quad \sim \sim \quad \forall \text{ } \text{ } \\
& \text{K} \Psi \text{T} \quad \text{K} \quad = \quad \text{M}
\end{aligned}$$