





$$1 \text{ à } \mathbb{F} \quad \kappa \quad \Psi \quad \kappa \quad 112_{\sim} \quad \sim \quad \eta \quad \mathbb{M} \quad 283,424,566 \quad \sim \quad \mathbb{V}_{\sim} \quad \mathbb{E}^{\sim}$$

$$\mathbb{M} \quad 25.4278 \quad \epsilon \quad \hat{A}$$

^ 1~ 7 ' 7 6_ ~ 7 M 245,838,089 ~

[illegible]
$$K_{106} \sim 7 \text{ M } 37,586,477 \sim 4.5 \times 10^6 \text{ M } 3.3721 \times 10^6 \text{ Å}$$
$$\hat{3} \sim \bar{4} \quad \kappa^{\hat{2}} \quad \odot \quad \tilde{E} \quad H_{\hat{a}} \quad H_{\hat{a}} \quad \gamma \quad \tilde{1} \quad 1$$

$\tilde{E} \sim 5\%$, M , K , γ , i , r , $K \sim \frac{1}{T}$, $\frac{1}{T}$

$$K_{107} \sim 7 \text{ M } 85,526,040 \sim 15.5 \text{ E} \sim 7.6731 \text{ Å}$$

2 à ψ Ẽ H d h ~ Ẽ No H à H à

з ψ Â κ Η Γ Ϝ κ ψ ς Ϝ ι

ÿ Â

ă

$$\chi^2 = \sum_{i=1}^N \frac{(\Psi_i - \bar{\Psi})^2}{\sigma_i^2}$$

з у й ,

1.00 $\hat{e}^{\tau} G$ $\hat{I}$ E^{α} $\hat{I}$

1

276,287,927 ~ √ Ξ ψ κ M 97.4820

